

### PROADEC Portugal SURTECO GROUP



### PROADEC

SURTECO GROUP

# MIRROR GLOSS ABS EDGINGS

### HIGH GLOSS SURFACES

surfaces.



### The high demand for high gloss surfaces is set to continue in line with the demand for ultra matt



After the success with the ultra matt range PROMATT, PROADEC launches its perfect high gloss counterpart:



### PROHIGLOSS PREMIUM

### HIGH GLOSS RANGE

The market of high-gloss boards/laminates and the spectrum of corresponding gloss levels are vast. PROADEC gloss edgings are available in three distinct product families (PROGLOSS, PROHIGLOSS and PROHIGLOSS PREMIUM), with gloss levels ranging from 75GU to >90GU to match the gloss levels and surface features of the different MFC, MDF and HPL boards available.

The new range PROADEC PROHIGLOSS PREMIUM has been developed to match premium quality high-gloss surfaces in upmarket interior designs for home and office furniture, kitchens, bathrooms and retail spaces.







### PROPERTIES




#### **PROHIGLOSS PREMIUM features the following properties:**

- 🖌 ABS
- ✓ Gloss level >90GU
- Mirror-like reflection surface
- $\checkmark$  Absolutely smooth, uniform and homogeneous surface
- Lightfast (resist fading when exposed to natural or artificial lighting)
- $\checkmark$  Decors: Unicolours, woodgrains and fantasies
- ✓ Thicknesses: 0.80 mm up to 1.3 mm
- Surface embossings: 01 Perfect Smooth for plain colours and 09 Ultra Smooth for print decors
- With protective film



### DIMENSIONS



#### **PRODUCT DIMENSIONS**

#### THIN MATERIAL

Thicknesses: 0,80 mm up to 1,2 mm Widths: 14 - 275 mm

THICK MATERIAL

Thickness: 1,3 mm Widths: 16 - 260 mm

Possible to slit in various widths from jumbo rolls.



### CODIFICATION



#### **PROHIGLOSS PREMIUM is a new product family: P**


#### Example of an order in PROHIGLOSS PREMIUM:

Decor 2110 (black) Material ABS Width 23 mm (slit material) Thickness 1mm Protective film WITH

#### This is how the product code will be in the end: 2.P.01.2110.M.023.110



### APPLICATION



excellent processing characteristics. polished it becomes dull and more visible. Buffer should be adjusted a 90° angle to the board.



#### Given their ABS based material, PROHIGLOSS PREMIUM edgings present

- We recommend buffing should as soft as possible. If the joint becomes too



## PROHIGLOSS PREMIUM

It's not just about gloss, but refinement and resistance.







PROADEC Portugal, S.A. 4486-851 Mindelo, Vila do Conde Portugal

https://www.facebook.com/proadecportugal/



) REQUEST FOR SAMPLES: please send email to proedge@gmail.com



Click on the QR code to learn more about PROADEC Portugal CARBON NEUTRAL COMPANY certification.

