

Surface Finishes - Acabamentos de Superfície - Acabados de Superfície

| ABS | | Proclassic | Proflex | Prothick | Prowood | ProGloss | ProHigloss | ProMatt |
|-----|------------------------|--|--|--|--------------------------------------|--|---|---|
| 01 | Perfect Smooth | | | | | no lacquer | with lacquer / plain colours | with lacquer / Plain colours |
| | | | | | | max. widths 800 mm thick. 0,40 - 1,2 mm | max. widths 275 mm thick. 0,80 - 2mm | max. widths 275 mm thick. 0,80 - 2mm |
| 02 | Smooth | with lacquer 275 mm | with lacquer 260 mm | with lacquer 42 mm | no lacquer | | | |
| | | max. widths 275; 400; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | widths 16 - 66 mm thick. 1,5 - 3 mm | widths 18 - 44 mm thick. 2 - 3 mm | | | |
| 03 | Wood Thick | with lacquer 275 mm | with lacquer 260 mm | no lacquer | no lacquer | | | |
| | | max. widths 275; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260; 400 mm thick. 1,3 - 2 mm | widths 16 - 66 mm thick. 1,5 - 3 mm | widths 18 - 44 mm thick. 2 mm | | | |
| 04 | Top Face | with lacquer 275 mm | no lacquer | with lacquer 23 mm | no lacquer | | | |
| | | max. widths 275; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260; 400mm thick. 1,3 - 2 mm | widths 16 - 66 mm thick. 1,5 - 3 mm | widths 18 - 44 mm thick. 2 mm | | | |
| 05 | Poro Rovere | with lacquer 275 mm | with lacquer | with lacquer 26 mm | no lacquer | | | |
| | | max. widths 275; 800 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | widths 21 - 66 mm thick. 1,9 - 2 mm | widths 18 - 44 mm thick. 2 mm | | | |
| 06 | Sandy | with lacquer 275 mm | no lacquer | with lacquer 44 mm | no lacquer | | | |
| | | max. widths 275; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260; 400 mm thick. 1,3 - 2 mm | widths 16 - 54 mm thick. 1,9 - 3 mm | widths 18 - 44 mm thick. 2 mm | | | |
| 07 | Linen | 8 ± 2 unicolours no lacquer | 8 ± 2 unicolours no lacquer | | | | | |
| | | max. widths 260 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 08 | Ash Pore | with lacquer 260; 275 mm | no lacquer | no lacquer | | | | |
| | | max. widths 260; 275; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | widths 22 - 41 mm thick. 2 mm | | | | |
| 09 | Ultra Smooth | with lacquer 275 mm | no lacquer | with lacquer 33 mm | no lacquer | | with lacquer / print decors | with lacquer / print decors |
| | | max. widths 275; 800 mm thick. 0,40 - 1,2 mm | max. widths 260; 400 mm thick. 1,3 - 2 mm | widths 16 - 54 mm thick. 1,5 - 2 mm | widths 18 - 44 mm thick. 2 mm | | max. widths 275 mm thick. 0,80 - 2mm | max. widths 275 mm thick. 0,80 - 2mm |
| 10 | As Lluvia | no lacquer | no lacquer | no lacquer | no lacquer | | | |
| | | max. widths 260; 275; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | widths 22 - 44 mm thick. 2 mm | widths 18 - 44 mm thick. 2 mm | | | |
| 11 | Office | with lacquer 230; 260; 275 mm | no lacquer | | | | | |
| | | max. widths 230; 260; 275; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 13 | Silk | with lacquer | no lacquer | | | | | |
| | | max. widths 275 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 14 | Matrix | with lacquer 275 mm | no lacquer | | | | | |
| | | max. widths 275; 700; 800 mm thick. 0,60 - 1,2 mm | max. width 260 mm thick. 1,3 - 2 mm | | | | | |
| 15 | Dunacross (horizontal) | no lacquer | no lacquer | | | | | |
| | | max. widths 260 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 16 | Poro Legno | • | • | | | | | |
| | | max. widths 230; 275; 700 mm thick. 0,45 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 17 | Soft Embossing | with lacquer 260; 275 mm | no lacquer | no lacquer | no lacquer | | | |
| | | max. wid. 260; 275; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | widths 19 - 42 mm thick. 2 mm | widths 18 - 44 mm thick. 2 mm | | | |
| 18 | Duna | with lacquer 230; 275 mm | no lacquer | no lacquer | no lacquer | | | |
| | | max. widths 230; 275; 700; 800 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | widths 16 - 54 mm thick. 1,5 - 2 mm | widths 19 - 44 mm thick. 2 - 3 mm | | | |
| 19 | Brushed | with lacquer | no lacquer | | | | | |
| | | max. widths 260 mm thick. 0,40 - 1,2 mm | max. widths 260 mm thick. 1,3 - 2 mm | | | | | |

Surface Finishes - Acabamentos de Superfície - Acabados de Superfície

| ABS | | Proclassic | Proflex | Prothick | Prowood | ProGloss | ProHigloss | ProMatt |
|-----|----------------------|---|--|---|---------|----------|------------|---------|
| 20 | Woodpore | no lacquer max. widths 260; 275; 800 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 21 | Estuco | no lacquer max. widths 260 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 22 | Couro | with lacquer max. widths 260 mm thick. 0,40 - 1,2 mm | N/A | | | | | |
| | | | | | | | | |
| 23 | Poró Dolce | with lacquer 230 mm max. widths 230; 275; 700 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 24 | Sagade (horizontal) | no lacquer max. widths 260 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 25 | Bouclé | no lacquer max. widths 260 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm; thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 26 | Textil | no lacquer max. widths 275; 800 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | no lacquer widths 22 mm thick. 2 mm | | | | |
| | | | | | | | | |
| 27 | Orange Peel | no lacquer max. wid. 230; 260; 700 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 28 | Linepore | no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 29 | Grain | no lacquer max. widths 260 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 30 | Rustic Pore | with lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 31 | Dunaline | no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 32 | Saw Cut (horizontal) | no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | 6 ± 2 unicolours no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 34 | Trama | with lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | N/A | | | | | |
| | | | | | | | | |
| 35 | Rustical | no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | N/A | | | | | |
| | | | | | | | | |
| 36 | Wide Pore | with lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | with lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 37 | Dual Touch | with lacquer max. widths 275 mm thick. 0,45 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |
| 39 | Cross | with lacquer max. widths 275 mm thick. 0,60 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | | | | | | | |

Surface Finishes - Acabamentos de Superfície - Acabados de Superfície

| ABS | | Proclassic | Proflex | Prothick | Prowood | ProGloss | ProHigloss | ProMatt |
|-----|------------|--|---|----------|---------|----------|------------|---------|
| 40 | Deep Pore | with lacquer 230; 275 mm max. widths 230; 275; 700 mm thick. 0,45 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | with lacquer 275 mm max. widths 275; 800 mm thick. 0,40 - 1,2 mm | with lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 43 | Nude | with lacquer max. widths 275 mm thick. 0,45 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | with lacquer max. widths 275 mm thick. 0,45 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 44 | Slate | with lacquer max. widths 275 mm thick. 0,45 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | with lacquer max. widths 275 mm thick. 0,45 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 45 | Solid Wood | with lacquer max. widths 275 mm thick. 0,60 - 1,2 mm | no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | N/A | | | | | |
| 49 | Flow | 6 ± 2 unicolours no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | 10 ± 2 unicolours no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | 25 ± 10 unicolours no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | 8 ± 2 unicolours no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 59 | Sand Matt | 8 ± 2 unicolours no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | 8 ± 2 unicolours no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | 5 ± 2 unicolours no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | 5 ± 2 unicolours no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| 68 | Balatus | 5 ± 2 unicolours no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | 5 ± 2 unicolours no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |
| | | 5 ± 2 unicolours no lacquer max. widths 275 mm thick. 0,40 - 1,2 mm | 5 ± 2 unicolours no lacquer max. widths 260 mm thick. 1,3 - 2 mm | | | | | |