

SURFACE FINISHES - ACABAMENTOS SUPERFÍCIE - ACABADOS DE SUPERFÍCIE - FINITIONS DE SURFACE

ABS		PROCLASSIC	PROFLEX	PROTHICK	PROWOOD	PROGLOSS	PROHIGLOSS	PROMATT
01	Perfect Smooth					no lacquer	with lacquer / plain colours	with lacquer / Plain colours
						max. widths 800 mm	max. widths 275 mm	max. widths 275 mm
						thick. 0,40 - 1,2 mm	thick. 0,80 - 2mm	thick. 0,80 - 2mm
02	Smooth	with lacquer 275 mm	with lacquer 260 mm	with lacquer 42 mm	no lacquer			
		max. widths 275; 400; 700; 800 mm	max. widths 260 mm	widths 16 - 66 mm	widths 18 - 44 mm			
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm	thick. 1,5 - 3 mm	thick. 2 - 3 mm			
03	Wood Thick	with lacquer 275 mm	with lacquer 260 mm	no lacquer	no lacquer			
		max. widths 275; 700; 800 mm	max. widths 260; 400 mm	widths 16 - 66 mm	widths 18 - 44 mm			
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm	thick. 1,5 - 3 mm	thick. 2 mm			
04	Top Face	with lacquer 275 mm	no lacquer	with lacquer 23 mm				
		max. widths 275; 700; 800 mm	max. widths 260; 400mm	widths 16 - 66 mm				
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm	thick. 1,5 - 3 mm				
05	Poro Rovere	with lacquer 275 mm	with lacquer	with lacquer 26 mm				
		max. widths 275; 800 mm	max. widths 260 mm	widths 21 - 66 mm				
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm	thick. 1,9 - 2 mm				
06	Sandy	with lacquer 275 mm	no lacquer	with lacquer 44 mm				
		max. widths 275; 700; 800 mm	max. widths 260; 400 mm	widths 16 - 54 mm				
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm	thick. 1,9 - 3 mm				
07	Linen	8 ± 2 unicolours no lacquer	8 ± 2 unicolours no lacquer					
		max. widths 260 mm	max. widths 260 mm					
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm					
08	Ash Pore	with lacquer 260; 275 mm	no lacquer	no lacquer				
		max. widths 260; 275; 700; 800 mm	max. widths 260 mm	widths 22 - 41 mm				
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm	thick. 2 mm				
09	Ultra Smooth	with lacquer 275 mm	no lacquer	with lacquer 33 mm			with lacquer / print decors	with lacquer / print decors
		max. widths 275; 800 mm	max. widths 260; 400 mm	widths 16 - 54 mm			max. widths 275 mm	max. widths 275 mm
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm	thick. 1,5 - 2 mm			thick. 0,80 - 2mm	thick. 0,80 - 2mm

SURFACE FINISHES - ACABAMENTOS SUPERFÍCIE - ACABADOS DE SUPERFÍCIE - FINITIONS DE SURFACE

ABS		PROCLASSIC	PROFLEX	PROTHICK	PROWOOD	PROGLOSS	PROHIGLOSS	PROMATT
10	As Lluvia	no lacquer	no lacquer	no lacquer				
		max. widths 260; 275; 700; 800 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm	widths 22 - 44 mm thick. 2 mm				
11	Office	with lacquer 230; 260; 275 mm	no lacquer					
		widths 230; 260; 275; 700; 800 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
13	Silk	with lacquer	no lacquer					
		max. widths 275 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
14	Matrix	with lacquer 275 mm	no lacquer					
		max. widths 275; 700; 800 mm thick. 0,60 - 1,2 mm	max. width 260 mm thick. 1,3 - 2 mm					
15	Dunacross (horizontal)	no lacquer	no lacquer					
		max. widths 260 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
16	Poro Legno	•	•					
		max. widths 230; 275; 700 mm thick. 0,45 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
17	Soft Embossing	with lacquer 260; 275 mm	no lacquer	no lacquer				
		max. wid. 260; 275; 700; 800 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm	widths 19 - 42 mm thick. 2 mm				
18	Duna	with lacquer 230; 275 mm	no lacquer	no lacquer	no lacquer			
		max. widths 230; 275; 700; 800 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm	widths 16 - 54 mm thick. 1,5 - 2 mm	widths 19 - 44 mm thick. 2 - 3 mm			
19	Brushed	with lacquer	no lacquer					
		max. widths 260 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					

SURFACE FINISHES - ACABAMENTOS SUPERFÍCIE - ACABADOS DE SUPERFÍCIE - FINITIONS DE SURFACE

ABS		PROCLASSIC	PROFLEX	PROTHICK	PROWOOD	PROGLOSS	PROHIGLOSS	PROMATT
20	Woodpore	no lacquer	no lacquer					
		max. widths 260; 275; 800 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
21	Estuco	no lacquer	no lacquer					
		max. widths 260 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
22	Couro	with lacquer						
		max. widths 260 mm thick. 0,40 - 1,2 mm	N/A					
23	Poro Dolce	with lacquer 230 mm	no lacquer					
		max. widths 230; 275; 700 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
24	Sagade (horizontal)	no lacquer	no lacquer					
		max. widths 260 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
25	Bouclé	no lacquer	no lacquer					
		max. widths 260 mm thick. 0,40 - 1,2 mm	max. widths 260 mm; thick. 1,3 - 2 mm					
26	Textil	no lacquer	no lacquer	no lacquer				
		max. widths 275; 800 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm	widths 22 mm thick. 2 mm				
27	Orange Peel	no lacquer	no lacquer					
		max. wid. 230; 260; 700 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
28	Linepore	no lacquer	no lacquer					
		max. widths 275 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					

SURFACE FINISHES - ACABAMENTOS SUPERFÍCIE - ACABADOS DE SUPERFÍCIE - FINITIONS DE SURFACE

ABS		PROCLASSIC	PROFLEX	PROTHICK	PROWOOD	PROGLOSS	PROHIGLOSS	PROMATT
29	Grain	no lacquer	no lacquer					
		max. widths 260 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
30	Rustic Pore	with lacquer	no lacquer					
		max. widths 275 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
31	Dunaline	no lacquer	no lacquer					
		max. widths 275 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
32	Saw Cut (horizontal)	no lacquer						
		max. widths 275 mm thick. 0,40 - 1,2 mm	N/A					
34	Trama	with lacquer						
		max. widths 275 mm thick. 0,40 - 1,2 mm	N/A					
35	Rustical	no lacquer						
		max. widths 275 mm thick. 0,40 - 1,2 mm	N/A					
36	Wide Pore	with lacquer	with lacquer					
		max. widths 275 mm thick. 0,40 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
37	Dual Touch	with lacquer	no lacquer					
		max. widths 275 mm thick. 0,45 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					
39	Cross	with lacquer	no lacquer					
		max. widths 275 mm thick. 0,60 - 1,2 mm	max. widths 260 mm thick. 1,3 - 2 mm					

SURFACE FINISHES - ACABAMENTOS SUPERFÍCIE - ACABADOS DE SUPERFÍCIE - FINITIONS DE SURFACE

ABS		PROCLASSIC	PROFLEX	PROTHICK	PROWOOD	PROGLOSS	PROHIGLOSS	PROMATT
40	Deep Pore	with lacquer 230; 275 mm	no lacquer					
		max. widths 230; 275; 700 mm	max. widths 260 mm					
		thick. 0,45 - 1,2 mm	thick. 1,3 - 2 mm					
42	Minipearl	with lacquer 275 mm	with lacquer					
		max. widths 275; 800 mm	max. widths 260 mm					
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm					
43	Nude	with lacquer	no lacquer					
		max. widths 275 mm	max. widths 260 mm					
		thick. 0,45 - 1,2 mm	thick. 1,3 - 2 mm					
44	Slate	with lacquer	no lacquer					
		max. widths 275 mm	max. widths 260 mm					
		thick. 0,45 - 1,2 mm	thick. 1,3 - 2 mm					
45	Solid Wood	with lacquer	no lacquer					
		max. widths 275 mm	max. widths 260 mm					
		thick. 0,60 - 1,2 mm	thick. 1,3 - 2 mm					
47	Cement	no lacquer						
		max. widths 275 mm	N/A					
		thick. 0,40 - 1,2 mm						
49	Flow	6 ± 2 unicolours no lacquer	10 ± 2 unicolours no lacquer					
		max. widths 275 mm	max. widths 260 mm					
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm					
59	Sand Matt	8 ± 2 unicolours no lacquer	8 ± 2 unicolours no lacquer					
		max. widths 275 mm	max. widths 260 mm					
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm					
68	Balatus	5 ± 2 unicolours no lacquer	5 ± 2 unicolours no lacquer					
		max. widths 275 mm	max. widths 260 mm					
		thick. 0,40 - 1,2 mm	thick. 1,3 - 2 mm					