

PROADEC Portugal

SURTECO GROUP

PROADEC PROFOIL

Metallic Edgings

PROFOIL

ALU EDGING

presentation

PROADEC presents PROFOIL, an upmarket and fashionable edging solution with a real metallic effect.

Besides adding a stylish, clean and trendy look, our metallic edgings add durability and protection to all applications.

PROADEC

SURTECO GROUP

PROFOIL

ALU EDGING



PROADEC

SURTECO GROUP

specifications:

PROFOIL edgings consist of a decorative foil laminated on the surface of the ABS based edging.

The ABS base edging is then covered by a very thin layer of real metallic particles which are transferred to the surface of the edging.

The adhesion of the metallic particles to the substrate has been tested and is fully guaranteed.

There is no metallic seam line visible.

PROFOIL is formulated to prevent discoloration and to be resistant to external mechanical wear such as abrasion, scratches and chemical agents.

advantages:

PROFOIL is a cost-effective option to replicate the real aluminium and metal effects.

Upmarket and fashionable product with real metallic effect.

Excellent processing characteristics.

Invisible metallic seam line.

Does not damage standard tools during processing.

Can be produced in a wide variety of metallic shades and dimensions.

application:

PROFOIL edgings are suitable for practically all applications – e.g. on furniture door fronts, kitchen worktops, office desks, on the cut edge of floor coverings, as well as for shop fittings and interior design applications.

Given the ABS based material with excellent processing characteristics, PROFOIL edgings are easily processed either by hand or machine.

Because the metallic effect results from very thin metallic particles and not from a metallic foil, end trimming and milling runs smoothly and does not damage tools.

The end trim cut is performed using standard set saw blades, yet blades should be in good state in order to avoid splintering.

dimension:

Thicknesses:

Available in thicknesses ranging from 0,70 mm up to 1,20 mm.

Other thicknesses above 1,20 mm may be produced upon customer's special request.

Widths:

It is a calendared product and is produced in 260 mm jumbo rolls which are then slit according to customer's specifications.

Lengths:

Only available in slit material in the following lengths:

THICKNESS (mm)	LENGTH (m)
	SLIT MATERIAL
0,70 – 1,20	50; 75; 100 (STD); 150

PROFOIL

ALU EDGING

decors:

PROFOIL is available in stock in 2 beautiful aluminium gloss mirror shades.
Stock EXPRESS LINE 1 x 23 mm



M064 Mirror Aluminium Gold - ProFoil



M057 Mirror Aluminium Silver - ProFoil

PROADEC

SURTECO GROUP

PROADEC Portugal

SURTECO GROUP

PROADEC Portugal, S.A.

Vila do Conde

Portugal

TEL. +351 229 287 000 | proedge@proadec.com

www.proadec.com

 facebook.com/proadecportugal/